

Early Journal Content on JSTOR, Free to Anyone in the World

This article is one of nearly 500,000 scholarly works digitized and made freely available to everyone in the world by JSTOR.

Known as the Early Journal Content, this set of works include research articles, news, letters, and other writings published in more than 200 of the oldest leading academic journals. The works date from the mid-seventeenth to the early twentieth centuries.

We encourage people to read and share the Early Journal Content openly and to tell others that this resource exists. People may post this content online or redistribute in any way for non-commercial purposes.

Read more about Early Journal Content at http://about.jstor.org/participate-jstor/individuals/early-journal-content.

JSTOR is a digital library of academic journals, books, and primary source objects. JSTOR helps people discover, use, and build upon a wide range of content through a powerful research and teaching platform, and preserves this content for future generations. JSTOR is part of ITHAKA, a not-for-profit organization that also includes Ithaka S+R and Portico. For more information about JSTOR, please contact support@jstor.org.

DISCUSSION

PREVENTION OF WATER WASTE ON RAILROADS¹

By C. R. Knowles

Mr. J. M. DIVEN: In Charleston, S. C., the superintendent of a railway asked the Water Company to repair a number of hydrants in the railroad yards, complaint of their condition having been made by the fire department. The fire department requested very prompt action, as the hydrants were in the cotton yard and cotton yards are very bad risks. The work was promptly done. About a week later a very peremptory message was received wanting to know why the hydrants had not been repaired. The railroad superintendent was told that the repairs had been made promptly. On going over the yard with him it was found that the hydrants had been tampered with after the repairs had been made. The nuts on three or four of them were filed square so that a monkey wrench would fit them. Further investigation disclosed the fact that the firemen and engineers were in the habit of using these hydrants to wash up when they came in from a trip. They would turn the water on at the fire hydrant and make their toilet there instead of at the round house. What the amount of waste was in that way we had no means of ascertaining, because this was fire service and was supplied without meters.

Mr. C. R. Knowles: The most dangerous form of waste that we have to contend with is in the use of water closets, automatic flush tanks and other services with direct connection to sewers. In this connection we made an investigation of the toilet facilities at one of our terminals where we have something like 180 urinal flush tanks and 290 stools which are equipped with automatic valves flushing direct from the main. In making a survey of the situation it was estimated that we could bring about a saving of at least \$500 per month. Some of the local officers thought it was a crazy state-

¹ Published in June, 1916, JOURNAL, Vol. 3, No. 2, at pp. 356-363.

ment and cheerfully told us so, but at the end of the first month or so the saving proved to be some \$700.

We have recently added a large number of toilet facilities at this point, but close supervision has kept the consumption of water lower even than that with the original installation.

We meter our own supply where it is pumped with our own facilities in some instances where it is desired to correct a waste. Meters are of particular value where we have joint facilities in connection with other railroads. We expect the saving that will be made at one point, where we put on meters, to pay for the meters in a year's time, because the use of the meters cuts down the consumption and keeps it where it should be.